



Technical specification bucket

JETB 120

Jokey Euro Tainer Box



dimensions


D1: 68,5 mm

D2: 61,5 mm

D3: 55,5 mm

H:* 52,5 mm

*Height without lid



basic data

volume to rim: 0,14 l

weight: 5,9 g

weight group: Medium

handle types

metal handle -

plastic handle -

belt handle -

no handle +

body grip -

roller grips -

tolerances

dimensions: +/- 1 mm

volume/weight: +/- 10 %

decoration

Digital

height: 0,0 mm

width: 0,0 mm

median breadth:

IML

40,7 mm

184,3 mm

offset

0,0 mm

0,0 mm

0,0 mm

Lid

DET B 67

standard

stacking height two fi 101,4 mm

each further: 48,3 mm

DET BT 67

recessed lid

97,3 mm

44,1 mm

FDET B 67

standard

0,0 mm

0,0 mm

logistic

Max. compression for standard lid at 20°C on the lowest pail: 3,90 kg

pieces per pallet

Bucket 24576

pallet height 2,20 m

layer quantities: 0

EUP (Europallet)

80 cm (31,5") x 120 cm (47,24")

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 05.11.2015 rev. 2.2



Technical specification lid DETB 67



dimensions

D1: 67,0 mm
H: 6,0 mm

basic data

displaced volume:: 0,02 l
weight: 2,3 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 15 %

decoration

Diameter

IML

58,5 mm

offset

0,0 mm

Bucket

JETB 120

JETB 155



logistic

pieces per pallet

Lid 98304
pallet height 2,20 m
layer quantities: 0

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0



Technical specification lid DETBT 67



dimensions

D1: 67,0 mm
H: 9,5 mm

basic data

displaced volume:: 0,03 l
weight: 2,5 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 15 %

decoration

Diameter

IML

58,5 mm

offset

0,0 mm

Bucket

JETB 120

JETB 155



logistic

pieces per pallet

Lid 98304
pallet height 2,20 m
layer quantities: 0

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0



Technical specification lid FDETB 67



dimensions

D1: 67,0 mm
H: 9,0 mm

basic data

displaced volume:: 0,00 l
weight: 2,3 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 15 %

decoration

Diameter

IML

0,0 mm

offset

0,0 mm

Bucket

JETB 120

JETB 155



logistic

pieces per pallet

Lid 98304
pallet height 2,20 m
layer quantities: 0

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0