



# Technical specification bucket

## JETB 155

Jokey Euro Tainer Box



### dimensions


D1: 68,5 mm

D2: 61,5 mm

D3: 54,0 mm

H:\* 68,1 mm

\*Height without lid



### basic data

volume to rim: 0,17 l

weight: 6,9 g

weight group: Medium

### handle types

metal handle -

plastic handle -

belt handle -

no handle +

body grip -

roller grips -

### tolerances

dimensions: +/- 1 mm

volume/weight: +/- 10 %

### decoration

#### Digital

height: 0,0 mm

width: 0,0 mm

median breadth:

#### IML

56,6 mm

181,5 mm

#### offset

0,0 mm

0,0 mm

0,0 mm

### Lid

#### DET B 67

standard

stacking height two f: 132,0 mm

each further: 63,3 mm

#### DETBT 67

recessed lid

127,9 mm

59,1 mm

#### FDET B 67

sealing lid

0,0 mm

0,0 mm

### logistic

Max. compression for standard lid at 20°C on the lowest pail: 2,30 kg

#### pieces per pallet

Bucket 24576

pallet height 2,20 m

layer quantities: 0

#### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

### material



#### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 05.11.2015 rev. 2.1



# Technical specification lid DET B 67



## dimensions

D1: 67,0 mm  
H: 6,0 mm

## basic data

displaced volume:: 0,02 l  
weight: 2,3 g  
weight group: Medium

## tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 15 %

## decoration

Diameter

## IML

58,5 mm

## offset

0,0 mm

## Bucket

JETB 120

JETB 155



## logistic

### pieces per pallet

Lid 98304  
pallet height 2,20 m  
layer quantities: 0

### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

## material



### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

## misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 09.03.2015 rev. 2.0



## Technical specification lid DETBT 67



### dimensions

D1: 67,0 mm  
H: 9,5 mm

### basic data

displaced volume:: 0,03 l  
weight: 2,5 g  
weight group: Medium

### tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 15 %

### decoration

Diameter

### IML

58,5 mm

### offset

0,0 mm

### Bucket

JETB 120

JETB 155



### logistic

#### pieces per pallet

Lid 98304  
pallet height 2,20 m  
layer quantities: 0

#### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

### material



### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 09.03.2015 rev. 2.0



## Technical specification lid FDETB 67



### dimensions

D1: 67,0 mm  
H: 9,0 mm

### basic data

displaced volume:: 0,00 l  
weight: 2,3 g  
weight group: Medium

### tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 15 %

### decoration

Diameter

### IML

0,0 mm

### offset

0,0 mm

### Bucket

JETB 120

JETB 155



### logistic

#### pieces per pallet

Lid 98304  
pallet height 2,20 m  
layer quantities: 0

#### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

### material



#### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 09.03.2015 rev. 2.0