



# Technical specification bucket

## JETB 15


Jokey Euro Tainer Box



### dimensions

D1: 146,0 mm  
D2: 135,0 mm  
D3: 118,0 mm  
H:\* 138,0 mm

\*Height without lid



### basic data

volume to rim: 1,70 l  
weight: 51,0 g  
weight group: Medium

### handle types

metal handle -  
plastic handle -  
belt handle 2,0 g  
no handle +  
body grip -  
roller grips -

### tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 5 %

### decoration

#### Digital

height: 0,0 mm  
width: 0,0 mm  
median breadth:

#### IML

115,7 mm  
398,7 mm

#### offset

0,0 mm  
0,0 mm  
0,0 mm

### Lid

	DET B 143	FDET B 143
	standard	sealing lid
stacking height two fi	269,0 mm	281,0 mm
each further:	130,5 mm	138,5 mm

### logistic

Max. compression for standard lid at 20°C on the lowest pail: 12,00 kg


#### pieces per pallet

Bucket 2000  
pallet height 1,20 m

layer quantities: 45

#### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



### material



#### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 18.01.2018 rev. 2.5



# Technical specification lid DETB 143



## dimensions

D1: 144,0 mm  
H: 9,0 mm

## basic data

displaced volume:: 0,09 l  
weight: 11,0 g  
weight group: Medium

## tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 10 %

## decoration

Diameter

## IML

133,0 mm

## offset

0,0 mm

## Bucket

JETB 10



JETB 15




## logistic

### pieces per pallet

Lid 8800  
pallet height 1,20 m  
layer quantities: 45

### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



## material



### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

## misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 09.03.2015 rev. 2.0



# Technical specification lid

## FDETB 143



### dimensions

D1: 144,0 mm  
H: 12,0 mm

### basic data

displaced volume:: 0,00 l  
weight: 14,0 g  
weight group: Medium

### tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 10 %

### decoration

Diameter

### IML

0,0 mm

### offset

0,0 mm

### Bucket

JETB 10



JETB 15




### logistic

#### pieces per pallet

Lid 17600  
pallet height 2,20 m  
layer quantities: 45

#### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



### material



#### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 09.03.2015 rev. 2.0