



# Technical specification bucket

## JETB 280


Jokey Euro Tainer Box



### dimensions

- D1: 94,5 mm
- D2: 87,0 mm
- D3: 79,0 mm
- H:\* 61,0 mm

\*Height without lid



basic data	volume to rim:	0,31 l	handle types	tolerances
	weight:	12,0 g	metal handle	- dimensions: +/- 1 mm
	weight group:	Medium	plastic handle	- volume/weight: +/- 10 %
			belt handle	-
			no handle	+
			body grip	-
			roller grips	-

decoration	Digital	IML	offset
height:	0,0 mm	45,4 mm	0,0 mm
width:	0,0 mm	260,2 mm	0,0 mm
median breadth:			0,0 mm

Lid	DETB 95	FDETB 95
	standard	sealing lid
stacking height two fi	117,0 mm	125,5 mm
each further:	55,0 mm	61,5 mm

logistic	Max. compression for standard lid at 20°C on the lowest pail: 8,00 kg
	<b>pieces per pallet</b>
	Bucket 7680
	pallet height 2,20 m
	layer quantities: 0

### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

### material



### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 16.08.2016 rev. 2.3



# Technical specification lid DETB 95



## dimensions

D1: 94,0 mm  
H: 8,0 mm

## basic data

displaced volume:: 0,03 l  
weight: 4,5 g  
weight group: Medium

## tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 15 %

## decoration

Diameter

## IML

81,6 mm

## offset

0,0 mm

## Bucket

JETB 180



JSP 1415

JSP 5190



JETB 520



JETB 210



JETB 280



JETB 365



JETB 366



## logistic

### pieces per pallet

Lid 53760  
pallet height 2,20 m  
layer quantities: 0

### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

## material



### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

## misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 09.03.2015 rev. 2.0



# Technical specification lid

## FDETB 95



### dimensions

D1: 91,5 mm  
H: 10,5 mm

### basic data

displaced volume:: 0,00 l  
weight: 4,5 g  
weight group: Medium

### tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 15 %

### decoration

Diameter

### IML

0,0 mm

### offset

0,0 mm

### Bucket

JETB 180



JSP 1415

JSP 5190



JETB 520



JETB 210



JETB 280



JETB 365



JETB 366



### logistic

#### pieces per pallet

Lid 53760  
pallet height 2,20 m  
layer quantities: 0

#### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')

### material



#### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 08.06.2017 rev. 2.2