



Technical specification bucket

JETB 860


Jokey Euro Tainer Box



dimensions

- D1: 132,0 mm
- D2: 122,0 mm
- D3: 108,0 mm
- H:* 104,0 mm

*Height without lid



| basic data | volume to rim: | 1,00 l | handle types | tolerances |
|------------|----------------|--------|----------------|---------------------------|
| | weight: | 31,0 g | metal handle | - dimensions: +/- 1 mm |
| | weight group: | Medium | plastic handle | - volume/weight: +/- 10 % |
| | | | belt handle | 2,0 g |
| | | | no handle | + |
| | | | body grip | - |
| | | | roller grips | - |

| decoration | Digital | IML | offset |
|-----------------|---------|----------|--------|
| height: | 0,0 mm | 80,5 mm | 0,0 mm |
| width: | 0,0 mm | 361,4 mm | 0,0 mm |
| median breadth: | | | 0,0 mm |

| Lid | DETB 130 | FDETB 130 |
|------------------------|----------|-------------|
| | standard | sealing lid |
| stacking height two fi | 201,5 mm | 212,7 mm |
| each further: | 96,5 mm | 104,7 mm |

| logistic | Max. compression for standard lid at 20°C on the lowest pail: 8,00 kg | EUP (Europallet) | material |
|----------------------|---|-----------------------------------|---|
| pieces per pallet | | 80 cm (31,5'') x 120 cm (47,24'') | |
| Bucket | 2400 | | |
| pallet height | 1,20 m | | |
| layer quantities: 54 | | | |
| | | | |
| | | | |
| | | | QM / certificates |
| | | | You can download our current certificates on www.jokey.com . |

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.



Technical specification lid

DETB 130



dimensions

D1: 130,5 mm
H: 9,0 mm

basic data

displaced volume:: 0,10 l
weight: 9,5 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 10 %

decoration

Diameter

IML

120,0 mm

offset

92,0 mm

Bucket

JETB 560



JETB 860



JETB 11



JETB 1180



JETB 12




logistic

pieces per pallet

Lid 19200
pallet height 2,20 m
layer quantities: 54

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 09.03.2015 rev. 2.0



Technical specification lid

FDETB 130



dimensions

D1: 131,0 mm
H: 12,0 mm

basic data

displaced volume:: 0,00 l
weight: 10,0 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 10 %

decoration

Diameter

IML

120,0 mm

offset

0,0 mm

Bucket

JETB 560



JETB 860



JETB 11



JETB 1180



JETB 12




logistic

pieces per pallet

Lid 19200
pallet height 2,20 m
layer quantities: 54

EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



material



QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 11.12.2017 rev. 2.1